

NOTES



WHAT'S INSIDE

We don't just make great attachments, we use them too. We are family-owned and operated and have been since we got our start. The quick story is we are based in Washington State where most of our products are manufactured and assembled.

Rest assured that our attachments are built by operators, for operators.

This catalog is designed to show you our latest products going into 2018. We want to make sure that you have the right tools for your upcoming projects. For detailed specs, quotes and pricing, please contact our sales line or talk with a rep at one of our events.

We look forward to hearing from you. Thank you for your business and consideration.

- Eterra Attachments Team




360.203.7730



sales@eterraattachments.com





84"

- A cost effective solution to beach cleaning compared to a dedicated machine
- Collect small debris easily
- Great for resorts, private beaches, playground maintenance, sports fields and race tracks
- Compact enough to get into small areas
- Hydraulically controlled depth setting
- Hydraulic dumping hopper
- Sealed self lubricating bearings
- Quick and easy to attach
- Easy to maintain • Control systems available for all major skid steer & compact track loaders including Bobcat 7 pin control
- 2 screens supplied for fine and course beaches
- Optional Drag Bar Finisher available upon request (depending upon availability)

Weight (LBS):

1600 lbs 80" Controls: Height (IN):

12V Electric Over Hydraulic 32".

Capacity (GAL): Depth (IN): 100 US Gallons

Oil Flow Required (GPM): Screening Depth (IN):

12 - 22 GPM

Recommended Tire Pressure (PSI): 30 PSI



We are excited to partner with IB Corp Racing for the 2018 Supercross season and beyond.

TEAM RIDERS
JUSTINHOEFT 67
MARTIN CASTELO 137
MICHAEL LEIB 170

SUPERCROSS

Watch the show online!

COCO TERM

2018 RACE SCHEDULE

1.6.18 Angel Stadium | ANAHEIM, CA

1.13.18 NRG Stadium | HOUSTON, TX

1.20.18 Angel Stadium | ANAHEIM, CA

1.27.18 University of Phoenix Stadium | GLENDALE, AZ

2.3.18 Oakland Alameda City Coliseum | OAKLAND, CA

2.10.18 Petco Park | SAN DIEGO, CA

2.17.18 AT&T Stadium | ARLINGTON, TX

2.24.18 Tampa Raymond James Stadium | TAMPA, FL

3.3.18 Mercedes-Benz Stadium | ATLANTA. GA

3.10.18 Daytona International Speedway | DAYTONA BEACH, FL

3.17.18 Dome of America's Center | ST LOUIS, MO

3.24.18 Lucas Oil Stadium | INDIANAPOLIS, IN

4.7.18 Seattle Century Link Field | SEATTLE, WA

4.14.18 US Bank Stadium | MINNEAPOLIS, MN

4.21.18 Gillette Stadium | FOXBOROUGH, MA

4.28.18 Rice-Eccles Stadium | SALT LAKE CITY, UT

5.5.18 Sam Boyd Stadium | LAS VEGAS, NV

Follow the team at : www.race-track.tv or @ racetracksupercross



ABOUT

In 2015, the Eterra Mix 'N Go Cement Mixer became a huge hit in North America with over 100 units sold in under 18 months. These cement mixer attachments work excellent on Skid Steers and Compact Track Loaders and have become one of the top solutions for small batch cement mixing.

NEW to the line is the Mix 'N Go 600 Cement Mixer attachment for Skid Steers, Compact Track Loaders and Telehandlers. Featuring a massive 21 Cu. Ft. mixer bucket, the 600 has the strength and capabilities to mix and pour massive amounts of cement quickly, efficiently, and accurately.

If you need to mix cement for an upcoming job, we have the tools you need...

SPECS (600 Model)

Width (IN):

75"

Capacity (GAL):

159 gal

Transmission Type:

Chain Drive

Empty Weight (LBS):

1,389 lbs

Full Weight (LBS):

4,564 lbs

Max Flow Rate (GPM):

22 gpm

Max Pressure (PSI):

2900 psi

Paddle Material:

HARDOX 400

Seal Material:

Polyurethane seals with

90 shore hardness

For other model specs: eterra-usa.com/cement-mixers

MODELS:

100 – 3.3 Cu. Fi

250 - 90 Cu. Ft

450 – 16 Cu. Ft

600 – 21 Cu. FI



- 9 21 Cu. Ft. Mixer Bucket with plenty of room to transport with no spillage
- Galvanized steel side chute and top grate for great looks and durability
- Hydraulically operated center chute makes single person operation easy
- Spring assisted side gate locks the gate in place and aids in the actuation
- Sprocket and chain drive system is completely enclosed and sealed to keep it out of harms way
- 5 foot flexible hose provided for easy pouring
- Integrated top bag cutter to make bag splitting easy
- Hardox 400 steel paddle/auger style drive is suitable for concrete and grout
- Precision laser cut parts, CNC forming and robotic welding creates a high quality finished product
- Pad mounting holes for simple excavator mounting
- Drive system is reversible so that you can mix and dispense using your hydraulics



CHECK US OUT ONLINE FOR DEMO
VIDEOS & MORE!



SPECS

Impulse Force: 750 ft. lbs 1250 ft. lbs Driver Head: Cup or Flat Head Cup Options

Variable cup options: 8.5", 6.5", 4.5" and 2.5"

• Driver heads made from 4140 heat treated American Made steel

- Powder coat finish for increased protection against the elements and wear
- Plumb-chain included for reference when driving on uneven terrain
- Integrated hose protection
- Can accommodate optional 5 ft. Concrete Breaker tool with a single pin
- Remove excess concrete or hammer through rocks below the surface

MODELS

Standard model w/ coned head driver • ET-PDX-750

Tilt model w/ coned head driver • ET-PDX-750T

Standard Model w/ Flat Head, Post Guide and Eyelets
• ET-PDX-750C

Tilt Model w/ Flat Head, Post Guide and Eyelets • ET-PDX-750CT

1250 Ft. Lbs Model w/ Coned Head (Tilt Plate Optional) • ET-BPD-1250

FEATURES & BENEFITS

- Proudly designed, manufactured and assembled in the USA
- UK/American Made nitrogen charged powercells
- Strong and durable housing protection of powercell
- Innovative customization including tilt functionality and two driver head options
- NEW! Compact tilt function allows for 15 degrees of angle side-to-side and is great for use in uneven terrain
- Integrated cup design allows for use of both cup options depending on job demands
- Designed and engineered with high-volume fence contractors in mind

2316 E Bakerview Rd. Bellingham, WA - 360.203.7730

CHECK US OUT ONLINE FOR DEMO VIDEOS & MORE!





FEATURES

This extremely durable skid steer trencher has a number of features to make it a more productive unit when compared to the competition.

- 70/30 Chain 70% Aggressive Tungsten Carbide Cutter teeth (very well suited for this style of trencher). 30% are dirt teeth, which allow you to move more dirt out of the trench.
- Easy to adjust manual side shift.
- Hoses and ½" ISO flat-faced couplers provided

SPECS

Weight (LBS):

700 lbs

Flow Rating (GPM):

14-23 GPM

Auger Discharge (IN):

18"

Chain Width (IN):

6"

Chain Specifications

Shark 70/30

The Eterra 4 Foot Trencher for skid steers is ideal for constructing long industrial or personal property trenches with ease.

2316 E Bakerview Rd.. Bellingham, WA - 360.203.7730 - sales@eterraattachments.com - eterra-usa.com



FEATURES AND BENEFITS

- Only USA Made Permco hydraulic gear driven motors are used (Optional Piston Motor Upgrades Available)
- Select between two dynamic brush cutter sizes (60" or 74") depending on your machine's capabilities and your operating needs
- The blade holder is made of T1 grade steel and CNC machined for precise mower balance
- Utilizes 1/4" high strength structural steel (double reinforced stress points)
- Tubing used is 3" x 4" high strength structural steel tube that is fully integrated into the mount plate. This allows for a maximum transfer of force when cutting through thick trees or pushing them down
- Direct drive system: No wear parts, bushings, or additional gears that can wear out
- High quality bearings and exclusive viton shaft seal (double guarded seal for increased protection against contamination and abrasion)
- Replaceable skid shoes and removable blade cover for enclosed or open cutting. Using enclosed housing when protecting surroundings from debris is critical
- Anti-kickout feature on the front opening of the mower (serrated edge) provides grip when in intimate contact with trees
- Vision friendly 1/2" Lexan shield and window that is bullet resistant and meant to protect the operator without sacrificing visibility
- Polyester powder coat finish gives this mower a glimmer and great protection against the elements




MODELS

Typhoon 60" Clearing Mower
• ET-T60-100

Typhoon 74" Clearing Mower **NEW!**

• ET-T74-100





Excavator Rotary Mower Line





The Cyclone Rotary Mower's ideal use is for clearing brush and trees from roadsides and acreages where speed and removing obstacles without slowing down is most important. Clear driveways, ditches, and much more. There isn't another excavator rotary mower featuring this much versatility and performance.

ABOUT

Eterra has a reputation for building the strongest and highest quality flail and sickle bar mowers found anywhere. When we designed, engineered and tested our Rotary model, we knew we had something special that operators were going to love.



SPECS (ET-CY-48)

Weight (LBS):

600 lbs

Cutting Path Width (IN):

48"

Overall Width (IN)

52"

Drive System:

Direct Drive

Skid Shoes:

AR500 (replaceable)

Hydraulic Hoses:

85" w 1/2" Flat Faced Couplers

Cutting Capacity:

Up to 6"

Blades:

2x9 lb forged

MODELS

Cyclone 48" Rotary Brush Cutter

• ET-CY-48

Cyclone 60" Rotary Brush Cutter

ET-CY-60

Cutter Shaft Rotation Speed:

1300-1500 RPM

Deck Thickness:

Structural 1/4" w 1/2" Gussett

Reinforcement

Deck Material:

Structural Steel (Laser Cut/CNC

Formed)

Drive Spindle:

Precision CNC Machined 4140 Heat

Treated

Motor:

Permco Gear Drive

of Knives:

2x9 lb. (Most Efficient Style)

Blade Bar:

1" thick Ti - Flame Cut, Grain Direction Controlled, CNC Machined

Hydraulic Flow Requirement:

12-40 GPM @ 3000 PSI



SPECS (ET-3PT-200 - HI FLOW)

FEATURES

Weight (LBS):

450 lbs

Motor HP Rating:

40-58 HP

Category 1 Arms (IN):

7/8" Hitch Pins

Category 2 Arms (IN):

1-1/8" Hitch Pins

Lift Arms:

Adjustable

Back Plate:

Heavy Duty Dual Plated 1/4" Steel Hydraulic Flow Rating (GPM):

32-40 GPM @ 4000 PSI

- 55 HP motor with integrated 1 & 3/8" PTO shaft
- Auxiliary Output: 32 40 GPM at 4,000 PSI
- Adjustable lift arms to fit Category 0, 1 and 2 agricultural attachments
- Rotating motor mount to line up your PTO shaft (Extends the life of your U-Joints and maintains your horsepower)
- Quick Hitch allows you to attach from within the cab (No jockeying) in and out)
- Bypass circuit that protects your attachments from damage
- Modular design allows for motor swapping and other linkage changes (because an attachment like this has to be dynamic)
- Case drain included with purchase



SKID STEER BOOM MOWERS MULTIPLE MOWER OPTIONS AVAILABLE! Fire-Seven-Mine Foot Stelle Bars! ET-SW-36 ET-CY-48



ABOUT

The RT-20 Boom Mower System or better known as the "Raptor" is the first industrial boom arm with universal applications for Skid Steer loaders. The RT-20 is the third generation model that incorporates 20 years of boom arm and control technology. This attachment system is built to perform, and provide the operator with an all-in-one solution for roadside and trail clearing. With the articulating head rotating up to 210 degrees and the boom swing surpassing 180 degrees, there simply isn't a place this mower system can't reach. Contact an Eterra representative if this attachment system can help progress your projects and business.

Mower Heads

SPECS (ET-RT-20)

5 Foot Sickle

(Can be used underwater)

7 Foot Sickle

9 Foot Sickle

36" Flail

48" Rotary

Weight (LBS):

1222 lbs

Parked Dimensions (IN): Torque Disk:

53" W - 68" L - 77" T

Side Reach from Center 151" with SW-36 Mower

Head Rotation

210 Degrees

Cut Depth 60 Degree Slope

Cut Height Max

120" with SW-36

Hydraulic Flow Reg.

15-25

15-40 Hi Flow (Coming Soon)

Bearings:

Self-Aligning Spherical

Used to Absorb Vibration

CLUDED WITH PURCHASE

- Reliable after-sale support
- Universal Tube Adaptor (attaches to any mower)
- Basic Control Harness or Super Controller
- Hoses & Flat Faced Couplers included
- Check Valve Relief included

FLAIL MOWER

ABOUT

The open face and deep cutter design of Eterra flail mowers make them extremely useful for roadside mowing and acreage clearing. Cut the toughest of brush and maintain roadside grass areas with ease, or clear land for a new property development. The options are endless, and with a 6" cut capacity, the power and speed is outstanding. After owning an EX-30, you'll realize that in thick vegation and on roadsides, you won't find yourself in need of a mulcher much at all. Our mowers are mated to the machines they go on, which means we've eliminated the worry of tipping and hydraulic bog-down due to hydraulic flow and inefficient mower designs. Trust Eterra to provide you with an essential piece of equipment for your business that exceeds your expectations.





3/4" Castle Nut Locked

RECOMMENDED MATERIALS: Brush - Saplings - Trees

Blade Life Expectancy: 500 Hrs - No Rocks

Cutter Capacity:

6"+

RECOMMENDED MATERIALS: Hard Brush, Grass and Brambles

3/4" Castle Nut Locked


Cutter Capacity:

4" w/ 1 Lb. blades

• Blade Life Expectancy: 500 Hrs - No Rocks

GALLERY

CHECK US OUT ONLINE FOR DEMO VIDEOS & MORE! • © • • •







Why Eterra?


Building reliable equipment that is essential to our customer's businesses and projects is what Eterra has built our name on. Please be sure to check out our website and learn more about our products and what they can do for you: www.eterra-usa.com - Visit our dealer page and sign-up for more information if you'd like to partner with us.

Find us on Facebook or Youtube to watch our product overviews and demonstrations. We put our products through rigorous testing and use them for real jobs before ever going to market.

You can count on every Eterra product day in and day out.

VISIT OUR WEBSITE TO SEE OUR FULL PRODUCT LINE







SPECS (ET-E60-100)

ABOUT

Weight (LBS): 425 lbs Overall Reach (IN): 74"

Digging Depth (IN): 72"

Bucket Connection: Eterra ECS - Fast & Easy Break-Out Force: 14.000 LBS Why buy an Eterra Skid Steer Mini Backhoe System? Eterra's industry leading design uses a simple bucket coupling system and is extremely durable. Eterra has decades of experience designing innovative and multi-use attachments. That means decades of engineering and trouble shooting. Decades of trial and error and improvement. Decades of finding the best manufacturing material and decades of customer feedback and support. From day one, Eterra has always worked hard to set the standard and to demand excellence out of our products, and these handy mini backhoes is one of our original success stories.





MODELS: ET-E40 (Mini SS)

ET-E60

ET-E70 (H - HX Models)









GET THE JOB DONE WITH THE ETERRA AUGER STUMP PLANER AND AUGER DRIVE



Customer Review: This thing is perfectly amazing. Just yesterday I drilled 168 - 36" round by 36" deep holes for metal building piers. This unit outworked the bit and the skid steer. **Wouldn't buy anything else!!!** - Cody E.

ABOUT



Want versatility and durability? Trust Eterra.

What makes a great auger attachment? Eterra has dedicated over twenty years to answering this question. If you have used augers on your equipment in the past, then you may be well versed in what to expect. You will likely start with the basic features that give it the ability to PERFORM in a specified material. The auger drive should be strong enough to POWER through the tough and unseen elements below the surface. The drive system should be DURABLE enough to withstand a lot of back-force and it should last you

for many years to come. Most common brands manufacturing auger systems provide these essential functions.

Did you know an auger can do even more?

Rock Auger - Earth Auger - Mix Cement - Remove Stumps





2316 E Bakerview Rd. Bellingham, WA - 360.203.7730 - sales@eterraattachments.com - eterra-usa.com



Flow Rate
7-30 GPM

Max Torque (Ft. Lbs):

2100 - 3300 ft. lbs

Max RPM:

Output Shaft (IN):

2" Hex

Max Pressure (PSI):

3500

Hoses:

 $1/2^{\prime\prime}$ - 3500 PSI /w FF Couplers

Recommended Auger Bit Sizes:

4 - 48" Diameter

• Auger Drive (Various Models)

• Mount and Plate (Auger Cradle Options)

• Optional Auger Stump Planer

• Optional Auger Bits

Optional Cement Mixer Bowl
 (Skid Steer with Flip Mount Cradle Only)

Optional Auger Extension

• Optional Quick Attach Weight Plate

ET-ML-2500

(7-16 GPM) Mini Skid Steer

ET-2500

(7-16 GPM)

ET-3500

(17-23 GPM)

ET-4500

(23-30 GPM)

"Quality manufacturing yields long lasting products and timeless customer satisfaction"

2316 F. Bakeryiew Rd. Bellingham, WA - 360.203.7730 - sales@eterraattachments.com - eterra-usa.com



STAY UP TO DATE WITH IB CORP RACING | VISIT RACE-TRACK.TV FOR MORE

"Quality manufacturing yields long lasting products and timeless customer satisfaction"

2316 E Bakerview Rd. Bellingham, WA - 360.203.7730 - sales@eterraattachments.com - eterra-usa.com